



HP Sales Central

HP Color LaserJet Pro M255dw (7KW64A)

Active as of 11/1/2019

Detailed Specifications

Acoustic power emissions (active, printing)

6.4 B(A)(color/simplex); 6.3 B(A)(mono/simplex); 6.3 B(A)(mono/duplex); 6.3 B(A)(color/duplex)

Acoustic power emissions (ready)

2.5 B(A)

Acoustic pressure emissions bystander (active, printing)

50 dB(A)(color/simplex); 50 dB(A)(mono/simplex); 50 dB(A)(mono/duplex); 50 dB(A)(color/duplex)

Acoustic pressure emissions bystander (ready)

16 dB(A)

Automatic paper sensor

No

Blue Angel compliant

Yes, Blue Angel DE-UZ 205—only ensured when using Original HP supplies

Bottom margin (A4)

5 mm

Cable included

Yes, 1 USB

Code name

Meissa

Compatible Network Operating Systems

Windows® 10, 8, 8.1, 7: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, USB port, Internet Explorer. Windows Server support is provided via the command line installer and supports Win Server 2008 R2 and higher. Apple® macOS Sierra (v10.12) macOS High Sierra (v10.13) macOS Mojave (v10.14) macOS Catalina(v10.15); 200MB HD; Internet required for download; USB. Linux (For more information, see <https://developers.hp.com/hp-linux-imaging-and-printing>). Unix (For more information, see <http://www.hp.com>)

Compatible Operating Systems

Windows® 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, USB port, Internet Explorer. Windows Vista®: (32-bit only), 2 GB available hard disk space, Internet connection, USB port, Internet Explorer 8. Windows® XP SP3 or higher (32-bit only): any Intel® Pentium® II, Celeron® or 233 MHz compatible processor, 850 MB available hard disk space, Internet connection, USB port, Internet Explorer 8. Windows Server support is provided via the command line installer and supports Win Server 2008 R2 and higher. Apple® macOS Sierra (v10.12) macOS High Sierra (v10.13) macOS Mojave (v10.14) macOS Catalina(v10.15); 200MB HD; Internet required for download; USB. Linux (For more information, see <https://developers.hp.com/hp-linux-imaging-and-printing>). Unix (For more information, see <http://www.hp.com>)

Connectivity, standard

Hi-Speed USB 2.0 port; built-in Fast Ethernet 10/100Base-TX network port; 802.11n 2.4/5GHz wireless; Walkup host USB port

Control panel

2.7" color graphic touch screen with 3 button at left side (Home, Help, Back)

Count of cartons per pallet layer

8

Count of layers in pallet

4

Country of origin

Made in Vietnam; Made in Brazil (#696)

Datasheet photo 1

Publication photos/7KW64A.jpg

Display

2.7" color graphic touch screen

Display area (imperial)

2.13 x 1.59 in

Display area (metric)

54 x 40.7 mm

Downloadable software

From 123.hp.com/laserjet: HP Easy Start (Guided Software Install for Windows); From 123.hp.com: HP Smart for Windows and Mac; From HP.com for Windows OS, Full-solution software and drivers; Basic-solution software and drivers (with installer); Product Documentation and Support; For Mobile OS See "HP Mobile Printing" (<http://www8.hp.com/us/en/ads/mobility/overview.html>). From In-OS app stores: HP Smart; HP recommended printer drivers and software; From HP.com for printer administrators: Printer Administrator Resource Kit (Driver Configuration Utility, Driver Deployment Utility, Managed Printing Administrator); HP Universal Print Drivers (PCL6, PS); Linux/Unix Print Drivers; SAP (PS Print Drivers); HP Web JetAdmin Software (HP SNMP Proxy Agent); HP JetAdvantage Security Manager

Driver updates

<http://www.hp.com/support/ljM253>

Duplex printing

Automatic (standard)

Duty cycle (monthly, A4)

Up to 40,000 pages

Duty cycle (monthly, letter)

Up to 40,000 pages

Electromagnetic compatibility

CISPR32:2012 & CISPR32:2015 /EN55032:2012 & EN55032:2015+AC:2016 - Class B; EN 61000-3-2:2014; EN 61000-3-3:2013; EN 55024:2010+A1:2015; FCC Title 47 CFR, Part 15 Class B/ICES-003, Issue 6

Energy efficiency

ENERGY STAR® qualified; EPEAT® Silver

Energy savings feature technology

HP Auto-On/Auto-Off Technology; Instant-on Technology

Energy star certified

Yes

Envelope Feeder

No

Environmental

Mercury-free

Finished output handling

Sheetfed

First page out black (A4, ready)

As fast as 10.5 sec

First page out black (A4, sleep)

As fast as 12.1 sec

First page out black (letter, ready)

As fast as 10.2 sec

First page out black (letter, sleep)

As fast as 12.0 sec

First page out color (A4, ready)

As fast as 12.2 sec

First page out color (A4, sleep)

As fast as 12.4 sec

First page out color (letter, ready)

As fast as 12.0 sec

First page out color (letter, sleep)

As fast as 12.2 sec

First page out footnote

Measured using ISO/IEC 17629. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

Fonts and typefaces

84 scalable TrueType fonts. Additional Font Solutions available at <http://www.hp.com/go/laserjetfonts>

Functions

Print

Image legal disclaimer

Product image may differ from actual product

Input capacity

1-sheet in Tray 1; Up to 250 sheets (25 mm stack height) in Tray 2

Left margin (A4)

5 mm

Legal disclaimer

© Copyright 2019 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Windows is a registered trademark of Microsoft Corporation. AirPrint, iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries.

Mac compatible

Yes

Maximum dimensions (W x D x H)

15.4 x 18.7 x 11.7 in

Maximum dimensions (W x D x H)

392 x 475 x 297 mm

Maximum input capacity (sheets)

1-sheet in Tray 1; Up to 250 sheets (25 mm stack height) in Tray 2

Maximum Memory

256 MB DDR, 256 MB NAND Flash

Maximum output capacity (sheets)

Up to 100 sheets (10 mm stack height)

Maximum print area

206 x 346 mm

Media size, tray 1

Letter(216 x 280); Legal(216 x 356); Executive(184 x 267); Oficio 8.5x13(216 x 330); 4 x 6(102 x 152); 5 x 8(127 x 203); A4(210 x 299); A5(148 x 210); A6(105x148); B5(JIS)(182 x 257); B6(JIS)(128 x 182); 10x15cm(100 x 150); Oficio 216x340mm(216 x 340); 16K 195x270mm(195x270); 16K 184x260mm(184x260); 16K 197x273mm(197x273); Postcard(JIS)(100 x 147); Double Postcard(JIS)(147 x 200); Envelope #10(105 x 241); Envelope Monarch(98 x 191); Envelope B5(176 x 250); Envelope C5(162 x 229); Envelope DL(110 x 220); A5-R(210 x 148)

Media size, tray 2

Letter(216 x 280); Legal(216 x 356); Executive(184 x 267); Oficio 8.5x13(216 x 330); 4 x 6(102 x 152); 5 x 8(127 x 203); A4(210 x 299); A5(148 x 210); A6(105x148); B5(JIS)(182 x 257); B6(JIS)(128 x 182); 10x15cm(100 x 150); Oficio 216x340mm(216 x 340); 16K 195x270mm(195x270); 16K 184x260mm(184x260); 16K 197x273mm(197x273); Postcard(JIS)(100 x 147); Double Postcard(JIS)(147 x 200); Envelope #10(105 x 241); Envelope Monarch(98 x 191); Envelope B5(176 x 250); Envelope C5(162 x 229); Envelope DL(110 x 220); A5-R(210 x 148)

Media sizes supported

Letter(216 x 280); Legal(216 x 356); Executive(184 x 267); Oficio 8.5x13(216 x 330); 4 x 6(102 x 152); 5 x 8(127 x 203); A4(210 x 299); A5(148 x 210); A6(105x148); B5(JIS)(182 x 257); B6(JIS)(128 x 182);

10x15cm(100 x 150); Oficio 216x340mm(216 x 340); 16K 195x270mm(195x270); 16K 184x260mm(184x260); 16K 197x273mm(197x273); Postcard(JIS)(100 x 147); Double Postcard(JIS)(147 x 200); Envelope #10(105 x 241); Envelope Monarch(98 x 191); Envelope B5(176 x 250); Envelope C5(162 x 229); Envelope DL(110 x 220); A5-R(210 x 148);

Media sizes supported

Letter(8.5 x 11); Legal(8.5 x 14); Executive(7.2 x 10.5); Oficio 8.5x13(8.5 x 13); 4 x 6(4 x 6); 5 x 8(5 x 8); A4(8.3 x 11.7); A5(5.8 x 8.3); A6(4.1 x 5.8); B5(JIS)(7.2 x 10.1); B6(JIS)(5 x 7.2); 10x15cm (3.9 x 5.9); Oficio 216x340 mm(8.5 x 13.4); 16K 195x270mm(7.6 x 10.6); 16K 184x260mm(7.2 x 10.2); 16K 197x273mm(7.8 x 10.7); Postcard (JIS)(3.9 x 5.8); Double Postcard(JIS)(5.8 x 7.9); Envelope #10(4.1 x 9.5); Envelope Monarch(3.9 x 7.5); Envelope B5(6.9 x 9.8); Envelope C5(6.4 x 9); Envelope DL(4.3 x 8.7); A5-R(8.3 x 5.8);

Media sizes supported, key

10 x 15 cm; A4; Envelopes

Media sizes supported, key

4 x 6 in; Letter; Legal; Envelopes

Media sizes, custom

3 x 5 to 8.5 x 14 in

Media sizes, custom

76 x 127 to 216 x 356 mm

Media type and capacity, tray 1

1-sheet all media types

Media type and capacity, tray 2

25 mm stack height for 20# paper(75 g/m²)

Media types

Paper (bond, brochure, colored, glossy, heavy, letterhead, light, photo, plain, preprinted, prepunched, recycled, rough), transparencies, labels, envelopes, cardstock

Media weight (tray 1)

60 to 163 g/m² (Uncoated/Matte, recommended), however up to 175 g/m² Postcards and 200 g/m² HP Matte is allowed in the driver; 60 to 163 g/m² (Coated/Glossy, recommended) , however up to 175 g/m² Postcards and 220 g/m² HP Glossy is allowed in the driver.

Media weight (tray 2)

60 to 163 g/m² (Uncoated/Matte, recommended), however up to 175 g/m² Postcards and 200 g/m² HP Matte is allowed in the driver

Media weight, supported

16 to 43 lb (Uncoated/Matte, recommended), however up to 47 lb Postcards and 53 lb HP Matte is allowed in the driver; 16 to 43 lb (Coated/Glossy, recommended) , however up to 47 lb Postcards and 59 lb HP Glossy is allowed in the driver.

Media weight, supported

60 to 163 g/m² (Uncoated/Matte, recommended), however up to 175 g/m² Postcards and 200 g/m² HP Matte is allowed in the driver; 60 to 163 g/m² (Coated/Glossy, recommended) , however up to 175 g/m² Postcards and 220 g/m² HP Glossy is allowed in the driver.

Memory

256 MB DDR, 256 MB NAND Flash

Minimum dimensions (W x D x H)

15.4 x 16.5 x 9.7 in

Minimum dimensions (W x D x H)

392 x 419 x 247.5 mm

Minimum System Requirements

Windows® 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer. Windows Vista®: (32-bit), 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows® XP SP3 or higher (32-bit only): any Intel® Pentium® II, Celeron® or 233 MHz compatible processor, 850 MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows Server support is provided via the command line installer and supports Win Server 2008 R2 and higher.

Minimum System Requirements for Macintosh

Apple® macOS Sierra (v10.12) macOS High Sierra (v10.13) macOS Mojave (v10.14) macOS Catalina(v10.15);

200MB HD; Internet required for download; USB

Mobile printing capability

HP ePrint; Apple AirPrint™; Mobile Apps; Wi-Fi® Direct printing; Mopria™-certified

Network capabilities

Yes, via built-in 10/100 Base-TX Ethernet; authentication via 802.1X

Network protocols, supported

TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutoIP, Manual), IPv6

Non-Operating Humidity Range

0 to 95% RH

Number of print cartridges

4 (1 each black, cyan, magenta, yellow)

Number of users

1-5 Users

Operating humidity range

10 to 80% RH

Operating system (supported note)

Not supporting Windows® XP (64-bit) and Windows Vista® (64-bit); "Compatible Operating Systems" are not supported with INBOX software, but downloadable from online; Full solution software available only for Windows 7 and newer; Windows Server OS install driver only; Windows RT OS for Tablets (32 & 64-bit) uses a simplified HP print driver built into the RT OS; Linux systems use in-OS HPLIP software

Operating system supported footnote number

[7]

Operating temperature range

10 to 32.5°C

Operating temperature range

50 to 90.5°F

Output capacity

Up to 100 sheets (10 mm stack height)

Package dimensions (W x D x H)

19.60 x 11.73 x 20.07 in

Package dimensions (W x D x H)

498 x 298 x 510 mm

Package weight

17.4 kg

Package weight

38.4 lb

Page yield footnote

Declared yield value in accordance with ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see

<http://www.hp.com/go/learnaboutsupplies>

Page yield footnote number

[4]

Pallet dimensions

47.24 x 39.37 x 86.22 in

Pallet dimensions (W x D x H)

1200 x 1000 x 2190 mm

Pallet weight

1277.6 lb

Pallet weight

579.5 kg

Paper handling input, standard

250-sheet input tray

Paper handling output, standard

100-sheet output bin

Paper trays, maximum

2

Paper trays, standard

2

Plug and play

Auto Wireless Connect

Power

110-volt input voltage: 110 to 127 VAC (+/- 10%), 50 Hz (+/- 3 Hz) , 60 Hz (+/- 3 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50 Hz (+/- 3 Hz), 60 Hz (+/- 3 Hz)(Not dual voltage, product varies by part number with # Option code identifier)

Power consumption

337 watts (active printing), 7.2 watts (ready), 0.8 watt (sleep), 0.6 watt (Manual-Off), 0.05 (Auto Off/Manual On), 0.6 watt (Auto Off/Wake on LAN)

Power consumption footnote number

[2]

Power supply type

Internal (built-in) Power Supply

Print colors

Yes

Print languages

HP PCL6; HP PCL5c; HP postscript level 3 emulation; PWG raster; PDF; PCLm; PCLm-S; NativeOffice; URF

Print quality black (best)

Up to 600 x 600 dpi

Print quality black (normal)

Up to 600 x 600 dpi

Print quality color (best)

Up to 600 x 600 dpi

Print resolution color (normal)

Up to 600 x 600 dpi

Print Resolution Technologies

ImageRET 3600

Print speed

Print speed up to 22 ppm (black) and 22 ppm (color)

Print speed black (ISO, A4)

Up to 21 ppm

Print speed black (ISO, letter)

Up to 22 ppm

Print speed black (Landscape, A5)

Up to 38 ppm

Print speed black (Portrait, A5)

Up to 5 ppm

Print Speed Color (ISO)

Up to 21 ppm

Print speed color (ISO)

Up to 22 ppm

Print speed color (Landscape, A5)

Up to 20 ppm

Print speed color (Portrait, A5)

Up to 5 ppm

Print speed duplex (A4)

Up to 12 ppm

Print speed duplex (A4)

Up to 12 ppm

Print speed duplex (letter)

Up to 13 ppm

Print speed duplex (letter)

Up to 13 ppm

Print speed footnote

Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

Print speed footnote (A5)

Measured using ISO 24734 Feature Test, A5 Landscape Feed. Speed may vary based on content, PC, media orientation, and media type.

Print speed footnote number (A5)

[5]

Print technology

Laser

Print Technology

Laser

Printer Management

HP Printer Assistant (UDC); HP Device Toolbox; HP JetAdvantage Security Manager

Printer smart software features

Wireless direct printing, HP ePrint, Apple AirPrint™, Mopria-certified, HP Auto-On/Auto-Off technology, HP Smart App, Smart task shortcuts in HP Smart App, HP JetAdvantage Secure Print

Processor speed

800 MHz

Quantity per pallet

32

Recommended media weight (duplex)

16 to 32 lb(recommended); 16 to 53 lb (allowed)

Recommended media weight (duplex)

60 to 120 g/m² (recommended); 60 to 200 g/m² (allowed)

Recommended monthly page volume

150 to 2500

Recommended operating humidity range

30 to 70% RH

Recommended operating temperature range

15 to 27°C

Recommended operating temperature range

59 to 80.6°F

Replacement cartridges

HP 206A Black LaserJet Toner Cartridge (~1350 yield) W2110A; HP 206A Cyan LaserJet Toner Cartridge (~1250 yield) W2111A; HP 206A Yellow LaserJet Toner Cartridge (~1250 yield) W2112A; HP 206A Magenta LaserJet Toner Cartridge (~1250 yield) W2113A; HP 206X Black LaserJet Toner Cartridge (~3150 yield) W2110X; HP 206X Cyan LaserJet Toner Cartridge (~2450 yield) W2111X; HP 206X Yellow LaserJet Toner Cartridge (~2450 yield) W2112X; HP 206X Magenta LaserJet Toner Cartridge (~2450 yield) W2113X

Replacement cartridges footnote

Replacement 206A (AMS+APJ) and 207A(EMEA) cartridge average composite (C/Y/M) declared yield ~1250 and average black yield ~1350 pages; replacement 206X(AMS+APJ) and 207X(EMEA) cartridge average composite (C/Y/M) declared yield ~2450 and average black yield ~3150 pages based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <http://www.hp.com/go/learnaboutsupplies>.

Replacement cartridges footnote number

[3]

Right margin (A4)

5 mm

RMN number

SHNGC-1600-01

Safety

EN 60950-1:2006 +A11:2009 +A1:2010 +A12:2011+A2:2013; IEC 60950-1:2005 +A1:2009+A2:2013; EN 60825-1:2014 / IEC 60825-1:2014 (Class 1 Laser Product); EN 62479:2010 / IEC 62479:2010; CAN/CSA C22.2 No. 60950-1-07 2nd Ed. March 27, 2007 Compliance of IEC 60950-1 standard considers all country deviations according to the most recent IEC CB Bulletin.; Complies with FDA performance standards for laser products except for deviations pursuant to Laser Notice No. 50, dated June 24, 2007.

Security management

Embedded Web Server: password-protection, secure browsing via SSL/TLS; Network: enable/disable network ports and features, SNMPv1 community password change; HP ePrint: HTTPS with certificate validation, HTTP Basic Access Authentication; Firewall and ACL; SNMPv3

Software included

No CD (Software is not included In-Box); Downloadable Software only from hp.com, <http://123.hp.com/laserjet> or 123.hp.com

Standard input capacity (envelopes)

Up to 15 mm (Recommended only 5 Envelopes or less at a time)

Standard media sizes (duplex)

A4; 16K; B5 (JIS); Oficio; Legal; Letter; A5-R; Executive

Standard media sizes (duplex, imperial)

Letter; Legal; Executive; Oficio (8.5 x 13 in); A4; A5; 16k; A5-R

Standard output capacity (envelopes)

10 mm stack height

Standard output capacity (transparencies)

10 mm stack height

Storage device and direct print support

Front-facing USB/Flash drive; USB printing

Storage temperature range

-20 to 40°C

Storage temperature range

-4 to 104°F

Supplies feature

HP JetIntelligence Cartridge

SureSupply footnote number

[6]

SureSupply note

HP SureSupply alerts you when your print cartridge is running low and helps you purchase online or locally through HP or a participating retailer. For more information, visit <http://www.hp.com/go/SureSupply>; only available with Original HP supplies; Internet access required.

SureSupply supported

Yes

Target user and print volume

For teams up to 10 users; Prints up to 2,500 pages/month

Tariff numbers

EU Base HTS: 8443321000; AM Base HTS: 8443321010; AP Base HTS: 84433231

Tech spec footnote

[1] Introductory cartridges included, ~800 page yield black and ~700 page yield color composite (C/Y/M).

Tech spec footnote

[2] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115V device.

Tech spec footnote

[3] Replacement 206A cartridge average composite (C/Y/M) declared yield ~1250 and average black yield ~1350 pages; replacement 206X cartridge average composite (C/Y/M) declared yield ~2450 and average black yield ~3150 pages based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <http://www.hp.com/go/learnaboutsupplies>.

Tech spec footnote

[4] Declared yield value in accordance with ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <http://www.hp.com/go/learnaboutsupplies>

Tech spec footnote

[5] Measured using ISO 24734 Feature Test, A5 Landscape Feed. Speed may vary based on content, PC, media orientation, and media type.

Tech spec footnote

[6] HP SureSupply alerts you when your print cartridge is running low and helps you purchase online or locally through HP or a participating retailer. For more information, visit <http://www.hp.com/go/SureSupply>; only available with Original HP supplies; Internet access required.

Tech spec footnote

[7] Not supporting Windows® XP (64-bit) and Windows Vista® (64-bit); "Compatible Operating Systems" are not supported with INBOX software, but downloadable from online; Full solution software available only for Windows 7 and newer; Windows Server OS install driver only; Windows RT OS for Tablets (32 & 64-bit) uses a simplified HP print driver built into the RT OS; Linux systems use in-OS HPLIP software

Tech spec footnote

[8] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device.

Technology logo, print 1

Publication logos/AMS_EnergyStar.jpg

Technology logo, print 2

Publication logos/AMS_windows_10.jpg

Technology logo, print 3

Publication logos/AMS_mac_hires.jpg

Technology logo, print 4

Publication logos/HPSmartApp_AMS.jpg

Technology logo, print 5

Publication logos/AMS_Epeat silver.jpg

Technology logo, print 6

Publication logos/AMS_WiFi.jpg

Technology logo, print 7

Publication logos/AMS_Mopria.jpg

Technology logo, print 8

Publication logos/AMS Alexa.jpg

Technology logo, print 9

Publication logos/AMS Google Assistant.jpg

Top key features

Two-sided printing; Energy Efficient; Strong Security; Dualband Wi-Fi

Top margin (A4)

5 mm

Typical electricity consumption (TEC) footnote

Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device.

Typical electricity consumption (TEC) footnote number

[8]

Typical electricity consumption (TEC) number

ES: 0.23 kWh/Week; BA: 0.606 kWh/Week

UPC number

(696) 193905484423; (AB0) 193905484409; (ABT) 193905484362; (ABY) 193905484379; (ACJ) 193905484331; (ACQ) 193905484386; (B13) 193905566587; (B19) 193905578924; (BAZ) 193905484393; (BBU) 193905484348; (BGJ) 193905484416; (BGM) 193905484355

Warm-up time

As fast as 52 sec

Warranty

One-year unit exchange warranty. Warranty and support options vary by product, country and local legal requirements. Go to <http://www.hp.com/support> to learn about HP award winning service and support options in your region.

Web address for additional information

<http://www.hp.com/support/ljM255>

Weight

14.8 kg

Weight

32.6 lb

What is in the box footnote

Introductory cartridges included, ~800 page yield black and ~700 page yield color composite (C/Y/M).

What is in the box footnote number

[1]

What's in the box

HP Color LaserJet Pro M255dw; HP LaserJet Black Introductory toner cartridge (~800 page yield); HP LaserJet Cyan Introductory toner cartridge; HP LaserJet Magenta Introductory toner cartridge; HP LaserJet Yellow Introductory toner cartridge (~700 color composite C/Y/M page yield); Installation guide; Power cord; USB cable

Wireless capability

Built-in 802.11 b/g/n; authentication via WEP, WPA/WPA2, or 802.1X; encryption via AES or TKIP; WPS; Wi-Fi Direct

© Copyright 2019 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing shall be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.